

**Listing of Claims**

- 1-16. (Canceled)
17. (Previously Presented) A method of binding an antibody to a human uterine cell that expresses a protein consisting of:
- (a) the amino acid sequence shown as SEQ ID NO:6; or
  - (b) the amino acid sequence encoded by the full-length coding region of the nucleotide sequence shown as SEQ ID NO:3, said method comprising contacting said cell with an antibody that binds to said protein and allowing the binding of said antibody to said protein to occur, thereby binding said antibody to said cell.
18. (Previously Presented) The method of Claim 17, wherein said antibody is a monoclonal antibody.
19. (Previously Presented) The method of Claim 17, wherein said antibody is an antibody fragment.
20. (Previously Presented) The method of Claim 17, wherein said antibody is a chimeric or a humanized antibody.
21. (Previously Presented) The method of Claim 17, wherein said antibody is produced in bacteria.
22. (Previously Presented) The method of Claim 17, wherein said antibody is produced in CHO cells.

Serial No.: 10/773,715  
Filed: February 5, 2004

23. (Previously Presented) The method of Claim 17, wherein said human uterine cell is a cancerous human uterine cell.

24. (Previously Presented) The method of Claim 17, wherein said human uterine cell is a normal human uterine cell.

25. (Previously Presented) The method of Claim 17, wherein said antibody is labeled.

26. (Previously Presented) The method of Claim 17, wherein said antibody is conjugated to a toxin.